



PT SAGORO INTI PERSADA



PRODUCT OVERVIEW

Honeywell

MSA
The Safety Company

R
RIKEN KEIKI

NOTIFIER
by Honeywell

Kidde
Fire Systems

e2S

Guardians of Safety. Partners in Protection.



PORTABLE GAS DETECTOR

Honeywell



MICRO CLIP XL

The world's most popular multi-gas portable detector, delivering long runtime and reliability - plus small size, low cost and the easiest user experience



BW ALERTMAX XT II

Go the distance and save with this smart, simple and economical way to compliance



BW ULTRA

The Honeywell BW™ Ultra is a five-gas detector from Honeywell that designed specifically for sampling and monitoring confined spaces



BW SOLO

It is a reliable serviceable single-gas monitoring with a wide variety of toxic gases supported



INTELLIDOX

Intellidox is a combines smart docking modules with Fleet Manager II and software to provide automated instrument management for the BW Clip Series, BW Clip4 and GasAlertMicroClip Series gas detectors



PORTABLE GAS DETECTOR



MICRO RAE

Wireless 4-gas monitor, that operates with many types of wireless communications protocols - Bluetooth®, GPS and Wi-Fi



QRAE3

A wireless compact monitor for 1 to 4 gases. Its wireless communications capability enables access to real-time instrument readings and alarm status 24/7



TOXI RAE3

This portable Toxi RAE3 is single-gas monitor designed to keep workers safe against from the threat of carbon monoxide (CO) and from hydrogen sulfide (H₂S).



MULTI RAE FAMILY

The most advance wireless portable chemical detector on the market, can use to configured with more than 20 interchangeable intelligent sensors



ULTRA RAE 3000+

A compound-specific monitor that can detect benzene from 50 ppb until to 200 ppm and other VOCs from 0.05 until to 10,000 ppm



PORTABLE GAS DETECTOR



ALTAIR 4X



The ALTAIR 4X is Multigas Detector for LEL, O2, CO, H2S (with CO-H2 res, H2S-LC, SO2 or NO2 option) as tough and functional as it looks.

ALTAIR 5X



Gas Detector who capable of measuring up to 6 gases simultaneously and is now available with integrated PID sensor for VOC detection.



PORTABLE GAS DETECTOR



GX3R

World's smallest and lightest 4 gas monitor with 3-year warranty. Only Approx. 100g, water and dust resistant, IP66/68 and Loud alarm buzzer 95dB at 30cm



GX 2012

GX 2012 has multiple tools in one instrument. Having 3 operating modes, the GX 2012 can be used for confined space, safety monitoring in it's Normal Operating mode; for leak



GX 8000

GX-8000 using new standard industry, for great detection gas , and it is portabel.



RX 8000

RX 8000 is real-time detection for Combustible gas LEL / VOL, and Oxygen Strong sample draw capability Large simultaneous display with auto back light Water and dust resistant IP67 Datalogging



FI 8000

FI 8000 is an Intermittent of measuring mode available (For pump suction type only) Suited for outdoor work.



SP 220

Over 40 target gases available, Sensitivity and gas range automatically change based on selected target gas, weights only 7.5 ounces, and resistant to silicone poisoning





FIXED GAS DETECTOR

Honeywell



SENSEPOINT XCD

Sensepoint XCD is fixed, Flammable, toxic, and Oxygen transmitter with sensor tri-colour display for viewing status from a distance



SENSEPOINT XCD RFD

Sensepoint XCD RFD is a flammable gas transmitter with features for use remotely mounted to flammable gas sensors



SENSEPOINT XCL

Bluetooth®-enabled, it is a single-gas detector with wide variety of toxic gases supported. Allows for a quick installations, commissioning, and give the reporting from the smartphone*



XNX UNIVERSAL TRANSMITTER

Supports the widest range of sensors on a common platform and offers a modular choice of inputs and outputs (which is saving customers times and money)



SENSEPOINT XCD RTD

A gas transmitter for use with directly or remotely mounted toxic and Oxygen gas sensors



SENSEPOINT XRL

Bluetooth®-enabled, it is a singlegas detector that monitors a wide range of toxic gases, combustible gases and Oxygen. Allows you for quick installation, commissioning, and also give the report from the smartphone*



SENSEPOINT FLAMMABLE AND TOXIC GAS DETECTOR

ATEX is certified flammable, toxic and oxygen gas detectors that offer a high-quality, low cost solution to monitoring hazardous areas.



OELD (OPTIMA EXCEL LOCAL DISPLAY)

OELD (Optima Excel Local Display) is smart junction box for either a Searchpoint Optima Plus or Searchline Excel gas detector



FIXED GAS DETECTOR

Honeywell



SEARCHPOINT OPTIMA PLUS POINT INFRARED GAS DETECTOR

Infrared point hydrocarbon gas detector certified for use in potentially explosive atmospheres



705 HT SERIES OF FLAMMABLE GAS SENSORS

Completed with UL certified, explosion-proof, flammable gas detectors, and also with high temperature version certified to 150°C.



RAEGUARD 2 PID

RAEGuard 2 PID is a fixed photoionisation detector (PID) that measures a broad range of volatile organic compounds (VOCs)



SEARCHLINE EXCEL OPEN PATH INFRARED GAS DETECTOR

Its World-renowned infrared open path flammable gas detector offering unrivalled performance and sensitivity.



SERIES 3000 MKII AND MKIII TRANSMITTER WITH SENSOR

2-wire loop powered toxic and Oxygen gas detector for use in potentially explosive atmospheres, and explosion proof with intrinsically safe versions



SEARCHZONE SONIC

The new Searchzone Sonic acoustic gas leak detector complements Honeywell's established portfolio of gas detection devices, adding ultrasonic technology to a reliable mix of point and open-path gas detectors

FIXED GAS DETECTOR



SD-1GP / SD-1GH



ATEX / IECEx certificate, Flameproof is enclosure for Acetylene also with a Hydrogen, a Electrical power saving with Max. 3W, and Self diagnosis by microprocessor

GD-A80 SERIES



Ex-proof design, its covering wide detection range from ppm to %LEL, and with long life sensor



GAS DETECTOR TRANSPORTABLE



RIG RAT

Honeywell BW™ RigRat brings a new level of user friendliness, transportable multi-gas area monitoring, so the people can work with absolutely confidence in hazardous areas



AREA RAE PRO

For many years, you've relied on AreaRAE as a first line of defense. As the threats have evolved, our technology has too



WIRELESS ALARM BAR

The Wireless Alarm Bar communicates with the MeshGuard product family network. Each alarm bar comes with a pair of xenon strobe lights and a 112 dB horn to provide



MESHGUARD STAINLESS STEEL

MeshGuard Stainless Steel is a networkable wireless gas monitoring solution designed for quick deployment in areas where low cost/high ROI solutions are required



AREA RAE PLUS

The AreaRAE Plus provides superior detection of toxic and combustible gases, VOCs and wind speed, direction and humidity—all in one easy-to-configure device



FA 300 ALARM BAR

The FA300 Alarm Bar is part of the MeshGuard system for hazardous gas detection. The alarm device comes with one audible and four visual alarm outputs, and the alarm logic

FLAME DETECTOR

Honeywell



FSL 100

FSL100 range of Light Industrial/Commercial Flame Detectors enables simple coverage of fire hazard areas across many fire hazard applications. Installation, set-up and operation are simple.



FS24X

FS24X is a Sophisticated software algorithms and it dual microprocessors ensure that the FS24X has the highest of fire detection performance and it is combined with the optimal false alarm rejection



SS4

SS4 is an Electro-optical digital detectors represent leading edge UV and UV/ IR technology.



FS20X

FS20X, part of FSX family of electro-optical flame detectors, the FS20X is represents for a quantum leap in integrating infrared and the ultraviolet sensing technologies.



CONTROLLER

Honeywell



UNIPOINT CONTROLLER

DIN rail mounted controller allows you to incorporate flammable, toxic or oxygen gas detection into control systems.



TOUCHPOINT PLUS CONTROLLER

Touchpoint™ Plus is an easily use configurable, wall mounted with control system that supports up to sixteen channels of gas detection alarm rejection.




TOUCHPOINT PRO CONTROLLER

Gas control system design, installation, configuration, and simple operation. Intuitive and flexible, Touchpoint Pro offers optimum compliance, safety and productivity for sites.



TOUCHPOINT PLUS WIRELESS CONTROLLER

Touchpoint™ Plus Wireless is the command-and-control element of the wireless gas detection system that gathers data, monitors, and activate alarms from MeshGuard



CONTROLLER



RM-6000



This unit is compact, light weight, simply to fixturable, with bar meter and digital multi-indication





FIRE ALARM SYSTEM

AriesNetLink


It combines the high quality, the system is reliability, and flexibility required by modern commercial, the high-tech and industrial applications in an aesthetically-pleasing and the physically-robust package



HEAT DETECTOR

DS-HFS

DS-HFS is an Intelligent fixed-temperature, this device provides a 135°F (57°C) fixed temperature of heat sensor for



HEAT DETECTOR EXPLOSION PROOF

Heat Detector Explosion Proof

Heat Detector Explosion Proof are rate-compensated for a quicker response. This provides a unique advantage over both fixed temperature over both fixed temperature and rate-of-rise types of detector because accurately senses the surrounding regardless of the fire growth rate.



SMOKE DETECTOR

DS-PS

Built-in microprocessor measures and also analyzes sensor readings, making the comparisons historical data and filtering signal patterns that are not typical of fires to prevent unwanted alarms.



BEAM DETECTOR

Beam Detector

The projected beam type smoke detector shall be a 4-wire 12/24 VDC device to be used with a Nationally Recognized Testing Laboratory's Listed separately supplied 4-wire control panel.



MANUAL PULL STATION

Addressable Manual Pull Station 3300

The Manual Pull Station is constructed of heavy die-cast aluminum for long life and uses an internal toggle switch for reliable operation, and also the unit is field programmable using the control panel keypad or Hand-Held Programmer.

HORN AND STROBES

Wheelock Series MT Multitone Horns



Compatible with The Kidde Fire Systems' AEGIS™ and ARIES™ families of Fire Alarm Suppression Control Units and offer a choice of eight (8) nationally and internationally recognized alerting sounds: Horn, Bell, March Time Horn, Code-3 Tone, Code-3 Horn, Slow Whoop, Siren or Hi/Lo Tone


MULTITONE STROBE Multitone Strobe



The MT Strobes are designed for ADA applications with maximum performance, reliability and cost effectiveness while meeting or exceeding the requirements of NFPA 72, ANSI 117.1, UFC and UL Standard 1971 as well as meeting ADA requirements for concerning photosensitive epilepsy.



FIRE ALARM SYSTEM



ALARM BELL Alarm Bell



The bells are designed for public mode signaling in accordance with NFPA 72. The bells produce a long and continuous higher dBA ringing sound at low current draw; low frequency shells for better audibility, low RFI noise and high torque.




FOAM SYSTEM

Bladder Tank



TYPICAL SCHEMATIC & SEQUENCE OF OPERATION



OUR CUSTOMER



PT WIJAYA KARYA (Persero) Tbk





we understand that safety is not just a requirement.
It is a responsibility.

CONTACT US

-  +62 859-5943-3242
-  Jakarta
-  sales1@sagoro.id
-  sagoro.id